

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_01.c,v
Working file: c_tests/nullstone/src/mod/mod_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_02.c,v
Working file: c_tests/nullstone/src/mod/mod_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_03.c,v
Working file: c_tests/nullstone/src/mod/mod_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_04.c,v

working file: c\_tests/nullstone/src/mod/mod\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_05.c,v

working file: c\_tests/nullstone/src/mod/mod\_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_06.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_07.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_08.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_09.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_10.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====



bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_11.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_12.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_13.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_14.c,v  
working file: c\_tests/nullstone/src/mod/mod\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_15.c,v  
working file: c\_tests/nullstone/src/mod/mod\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_16.c,v

bz Feb 21-27 1995.log

working file: c\_tests/nullstone/src/mod/mod\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_17.c,v

working file: c\_tests/nullstone/src/mod/mod\_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_18.c,v

working file: c\_tests/nullstone/src/mod/mod\_18.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_19.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_20.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_21.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_21.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_22.c,v
working file: c_tests/nullstone/src/mod/mod_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_23.c,v
working file: c_tests/nullstone/src/mod/mod_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:31:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_24.c,v  
working file: c\_tests/nullstone/src/mod/mod\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_25.c,v  
working file: c\_tests/nullstone/src/mod/mod\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_26.c,v  
working file: c\_tests/nullstone/src/mod/mod\_26.c  
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_27.c,v
Working file: c_tests/nullstone/src/mod/mod_27.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_28.c,v
Working file: c_tests/nullstone/src/mod/mod_28.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_29.c,v  
working file: c\_tests/nullstone/src/mod/mod\_29.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_30.c,v  
working file: c\_tests/nullstone/src/mod/mod\_30.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_31.c,v  
working file: c\_tests/nullstone/src/mod/mod\_31.c  
head: 1.1  
branch: 1.1.1



bz Feb 21-27 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_32.c,v

Working file: c\_tests/nullstone/src/mod/mod\_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_33.c,v

Working file: c\_tests/nullstone/src/mod/mod\_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_34.c,v  
working file: c\_tests/nullstone/src/mod/mod\_34.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_35.c,v  
working file: c\_tests/nullstone/src/mod/mod\_35.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_36.c,v  
working file: c\_tests/nullstone/src/mod/mod\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_37.c,v

working file: c\_tests/nullstone/src/mod/mod\_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_38.c,v

working file: c\_tests/nullstone/src/mod/mod\_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_39.c,v  
working file: c\_tests/nullstone/src/mod/mod\_39.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_40.c,v  
working file: c\_tests/nullstone/src/mod/mod\_40.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_41.c,v  
working file: c\_tests/nullstone/src/mod/mod\_41.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_42.c,v

working file: c\_tests/nullstone/src/mod/mod\_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_43.c,v

working file: c\_tests/nullstone/src/mod/mod\_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_44.c,v  
working file: c\_tests/nullstone/src/mod/mod\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_45.c,v  
working file: c\_tests/nullstone/src/mod/mod\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_46.c,v  
working file: c\_tests/nullstone/src/mod/mod\_46.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_47.c,v  
working file: c\_tests/nullstone/src/mod/mod\_47.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_48.c,v  
working file: c\_tests/nullstone/src/mod/mod\_48.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_49.c,v  
working file: c\_tests/nullstone/src/mod/mod\_49.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_50.c,v  
working file: c\_tests/nullstone/src/mod/mod\_50.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_51.c,v  
working file: c\_tests/nullstone/src/mod/mod\_51.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1



bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_52.c,v  
working file: c\_tests/nullstone/src/mod/mod\_52.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_53.c,v  
working file: c\_tests/nullstone/src/mod/mod\_53.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log

date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_54.c,v

working file: c\_tests/nullstone/src/mod/mod\_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:31:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_55.c,v

working file: c\_tests/nullstone/src/mod/mod\_55.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:31:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_56.c,v

working file: c\_tests/nullstone/src/mod/mod\_56.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_57.c,v

working file: c\_tests/nullstone/src/mod/mod\_57.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_58.c,v

working file: c\_tests/nullstone/src/mod/mod\_58.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_59.c,v

working file: c\_tests/nullstone/src/mod/mod\_59.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_60.c,v

working file: c\_tests/nullstone/src/mod/mod\_60.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_61.c,v

working file: c\_tests/nullstone/src/mod/mod\_61.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_62.c,v

working file: c\_tests/nullstone/src/mod/mod\_62.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_63.c,v

working file: c\_tests/nullstone/src/mod/mod\_63.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_64.c,v
Working file: c_tests/nullstone/src/mod/mod_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_65.c,v
Working file: c_tests/nullstone/src/mod/mod_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:01; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_66.c,v
Working file: c_tests/nullstone/src/mod/mod_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_67.c,v  
working file: c\_tests/nullstone/src/mod/mod\_67.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_68.c,v  
working file: c\_tests/nullstone/src/mod/mod\_68.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_69.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_69.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_70.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_70.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_71.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_71.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv



```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:02;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:03;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_72.c,v
working file: c_tests/nullstone/src/mod/mod_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:02;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:03;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_73.c,v
working file: c_tests/nullstone/src/mod/mod_73.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:03;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:04;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====

```

```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_74.c,v
Working file: c_tests/nullstone/src/mod/mod_74.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_75.c,v
Working file: c_tests/nullstone/src/mod/mod_75.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:03; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_76.c,v
Working file: c_tests/nullstone/src/mod/mod_76.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2

```

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_77.c,v  
working file: c\_tests/nullstone/src/mod/mod\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_78.c,v  
working file: c\_tests/nullstone/src/mod/mod\_78.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_79.c,v

bz Feb 21-27 1995.log  
Working file: c\_tests/nullstone/src/mod/mod\_79.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----  
revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_80.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_80.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----  
revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_81.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_81.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_82.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_82.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_83.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_83.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_84.c,v  
Working file: c\_tests/nullstone/src/mod/mod\_84.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:04;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:05;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_85.c,v
working file: c_tests/nullstone/src/mod/mod_85.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05;  author: claseman;  state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06;  author: claseman;  state: Exp;  lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_86.c,v
working file: c_tests/nullstone/src/mod/mod_86.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_87.c,v  
working file: c\_tests/nullstone/src/mod/mod\_87.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_88.c,v  
working file: c\_tests/nullstone/src/mod/mod\_88.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_89.c,v  
working file: c\_tests/nullstone/src/mod/mod\_89.c  
head: 1.1

bz Feb 21-27 1995.log

```
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_90.c,v
working file: c_tests/nullstone/src/mod/mod_90.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:05; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/mod/mod_91.c,v
working file: c_tests/nullstone/src/mod/mod_91.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
```



bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:06; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/mod/mod\_92.c,v  
working file: c\_tests/nullstone/src/mod/mod\_92.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_01.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_02.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_02.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_03.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_03.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_04.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_04.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_05.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_06.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_07.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_08.c,v

working file: c\_tests/nullstone/src/multiply/mul\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_09.c,v

working file: c\_tests/nullstone/src/multiply/mul\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_1.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_10.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_11.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_12.c,v

working file: c\_tests/nullstone/src/multiply/mul\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_13.c,v

working file: c\_tests/nullstone/src/multiply/mul\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_14.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_15.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_16.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_17.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_18.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision



bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_19.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_20.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_21.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

..

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_22.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_23.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_24.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_25.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_26.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_26.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_27.c,v

working file: c\_tests/nullstone/src/multiply/mul\_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_28.c,v

working file: c\_tests/nullstone/src/multiply/mul\_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_29.c,v
working file: c_tests/nullstone/src/multiply/mul_29.c

```

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_30.c,v
working file: c_tests/nullstone/src/multiply/mul_30.c

```

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_31.c,v
working file: c_tests/nullstone/src/multiply/mul_31.c

```

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_32.c,v

working file: c\_tests/nullstone/src/multiply/mul\_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_33.c,v

working file: c\_tests/nullstone/src/multiply/mul\_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_34.c,v
working file: c_tests/nullstone/src/multiply/mul_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_35.c,v
working file: c_tests/nullstone/src/multiply/mul_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:32:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_36.c,v
working file: c_tests/nullstone/src/multiply/mul_36.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
=====
```

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_37.c,v

working file: c\_tests/nullstone/src/multiply/mul\_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_38.c,v

working file: c\_tests/nullstone/src/multiply/mul\_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====



bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_39.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_39.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_40.c,v

working file: c\_tests/nullstone/src/multiply/mul\_40.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_41.c,v

working file: c\_tests/nullstone/src/multiply/mul\_41.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_42.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_42.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_43.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_43.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_44.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_45.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_46.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_46.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_47.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_47.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_48.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_48.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_49.c,v

```

bz Feb 21-27 1995.log
Working file: c_tests/nullstone/src/multiply/mul_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_50.c,v
Working file: c_tests/nullstone/src/multiply/mul_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:51; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_51.c,v
Working file: c_tests/nullstone/src/multiply/mul_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:

```

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_52.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_52.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_53.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_53.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_54.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_54.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_55.c,v
working file: c_tests/nullstone/src/multiply/mul_55.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_56.c,v
working file: c_tests/nullstone/src/multiply/mul_56.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_57.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_57.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_58.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_58.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_59.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_59.c  
head: 1.1



bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_60.c,v

Working file: c\_tests/nullstone/src/multiply/mul\_60.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_61.c,v

Working file: c\_tests/nullstone/src/multiply/mul\_61.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_62.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_62.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_63.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_63.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_64.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_64.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_65.c,v

Working file: c\_tests/nullstone/src/multiply/mul\_65.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_66.c,v

Working file: c\_tests/nullstone/src/multiply/mul\_66.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_67.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_67.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_68.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_68.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_69.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_69.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_70.c,v

working file: c\_tests/nullstone/src/multiply/mul\_70.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_71.c,v

working file: c\_tests/nullstone/src/multiply/mul\_71.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:55; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_72.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_72.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_73.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_73.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_74.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_74.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_75.c,v

working file: c\_tests/nullstone/src/multiply/mul\_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_76.c,v

working file: c\_tests/nullstone/src/multiply/mul\_76.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_77.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_78.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_78.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_79.c,v  
Working file: c\_tests/nullstone/src/multiply/mul\_79.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:



bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_80.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_80.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_81.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_81.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_82.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_82.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_83.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_83.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_84.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_84.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_85.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_85.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_86.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_86.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_87.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_87.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_88.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_88.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_89.c,v  
working file: c\_tests/nullstone/src/multiply/mul\_89.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_90.c,v

working file: c\_tests/nullstone/src/multiply/mul\_90.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_91.c,v

working file: c\_tests/nullstone/src/multiply/mul\_91.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_92.c,v
working file: c_tests/nullstone/src/multiply/mul_92.c
```

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_93.c,v

working file: c\_tests/nullstone/src/multiply/mul\_93.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_94.c,v

working file: c\_tests/nullstone/src/multiply/mul\_94.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_95.c,v

Working file: c\_tests/nullstone/src/multiply/mul\_95.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/multiply/mul\_96.c,v

Working file: c\_tests/nullstone/src/multiply/mul\_96.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_97.c,v
working file: c_tests/nullstone/src/multiply/mul_97.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/multiply/mul_98.c,v
working file: c_tests/nullstone/src/multiply/mul_98.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:59; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/narrow/shift_01.c,v
working file: c_tests/nullstone/src/narrow/shift_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.1
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
```



bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:06; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:07; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/narrow/shift\_02.c,v  
working file: c\_tests/nullstone/src/narrow/shift\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:07; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/narrow/shift\_03.c,v  
working file: c\_tests/nullstone/src/narrow/shift\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:07; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_01.c,v  
Working file: c\_tests/nullstone/src/pointer/ptr\_01.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_02.c,v  
Working file: c\_tests/nullstone/src/pointer/ptr\_02.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_03.c,v  
Working file: c\_tests/nullstone/src/pointer/ptr\_03.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_04.c,v
working file: c_tests/nullstone/src/pointer/ptr_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone/src/pointer/ptr_05.c,v
working file: c_tests/nullstone/src/pointer/ptr_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_06.c,v  
Working file: c\_tests/nullstone/src/pointer/ptr\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_07.c,v

Working file: c\_tests/nullstone/src/pointer/ptr\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_08.c,v

Working file: c\_tests/nullstone/src/pointer/ptr\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_09.c,v

Working file: c\_tests/nullstone/src/pointer/ptr\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.2

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_10.c,v

Working file: c\_tests/nullstone/src/pointer/ptr\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_11.c,v

bz Feb 21-27 1995.log

working file: c\_tests/nullstone/src/pointer/ptr\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_12.c,v

working file: c\_tests/nullstone/src/pointer/ptr\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_13.c,v

working file: c\_tests/nullstone/src/pointer/ptr\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_14.c,v  
working file: c\_tests/nullstone/src/pointer/ptr\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/pointer/ptr\_15.c,v  
working file: c\_tests/nullstone/src/pointer/ptr\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/printf/printf\_1.c,v  
working file: c\_tests/nullstone/src/printf/printf\_1.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:18; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/printf/printf_2.c,v
Working file: c_tests/nullstone/src/printf/printf_2.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone/src/printf/printf_3.c,v
Working file: c_tests/nullstone/src/printf/printf_3.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    b4_rich: 1.1.1.2
    NS_3_8_8: 1.1.1.2
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 3;    selected revisions: 2
description:
-----
```



bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_01.c,v  
Working file: c\_tests/nullstone/src/range/range\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_02.c,v  
Working file: c\_tests/nullstone/src/range/range\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_03.c,v  
Working file: c\_tests/nullstone/src/range/range\_03.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_04.c,v  
working file: c\_tests/nullstone/src/range/range\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_05.c,v  
working file: c\_tests/nullstone/src/range/range\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_06.c,v  
Working file: c\_tests/nullstone/src/range/range\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_07.c,v  
Working file: c\_tests/nullstone/src/range/range\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_08.c,v  
Working file: c\_tests/nullstone/src/range/range\_08.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_09.c,v  
working file: c\_tests/nullstone/src/range/range\_09.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_10.c,v  
working file: c\_tests/nullstone/src/range/range\_10.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_11.c,v  
working file: c\_tests/nullstone/src/range/range\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_12.c,v  
Working file: c\_tests/nullstone/src/range/range\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_13.c,v  
Working file: c\_tests/nullstone/src/range/range\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:01; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_14.c,v

Working file: c\_tests/nullstone/src/range/range\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:01; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_15.c,v

Working file: c\_tests/nullstone/src/range/range\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:01; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_16.c,v  
Working file: c\_tests/nullstone/src/range/range\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.2  
    NS\_3\_8\_8: 1.1.1.2  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_17.c,v  
Working file: c\_tests/nullstone/src/range/range\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_18.c,v  
Working file: c\_tests/nullstone/src/range/range\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_19.c,v

working file: c\_tests/nullstone/src/range/range\_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_20.c,v

working file: c\_tests/nullstone/src/range/range\_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision



bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_21.c,v  
working file: c\_tests/nullstone/src/range/range\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_22.c,v  
Working file: c\_tests/nullstone/src/range/range\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_23.c,v  
Working file: c\_tests/nullstone/src/range/range\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_24.c,v  
Working file: c\_tests/nullstone/src/range/range\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_25.c,v  
Working file: c\_tests/nullstone/src/range/range\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_26.c,v  
working file: c\_tests/nullstone/src/range/range\_26.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_27.c,v  
working file: c\_tests/nullstone/src/range/range\_27.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_28.c,v  
working file: c\_tests/nullstone/src/range/range\_28.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_29.c,v  
Working file: c\_tests/nullstone/src/range/range\_29.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/range/range\_30.c,v  
Working file: c\_tests/nullstone/src/range/range\_30.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/recur/recur\_01.c,v  
working file: c\_tests/nullstone/src/recur/recur\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/recur/recur\_02.c,v  
working file: c\_tests/nullstone/src/recur/recur\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone/src/recur/recur\_03.c,v  
working file: c\_tests/nullstone/src/recur/recur\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1.1.1  
    NS\_3\_8\_8: 1.1.1.1

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/recur/recur\_04.c,v  
working file: c\_tests/nullstone/src/recur/recur\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/register/reg\_01.c,v  
working file: c\_tests/nullstone/src/register/reg\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.1.1.1  
NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/register/reg\_02.c,v

Working file: c\_tests/nullstone/src/register/reg\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:05; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/register/reg\_03.c,v

Working file: c\_tests/nullstone/src/register/reg\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:05; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone/src/register/reg\_04.c,v

Working file: c\_tests/nullstone/src/register/reg\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

b4\_rich: 1.1.1.1

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/spec/spec\_01.c,v  
working file: c\_tests/nullstone/src/spec/spec\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/spec/spec\_02.c,v  
working file: c\_tests/nullstone/src/spec/spec\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====



bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone/src/static/static\_1.c,v  
Working file: c\_tests/nullstone/src/static/static\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/string/string\_1.c,v  
Working file: c\_tests/nullstone/src/string/string\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:07; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/string/string\_2.c,v  
Working file: c\_tests/nullstone/src/string/string\_2.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/string/string\_3.c,v  
working file: c\_tests/nullstone/src/string/string\_3.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/string/string\_4.c,v  
working file: c\_tests/nullstone/src/string/string\_4.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/template/template.c,v  
working file: c\_tests/nullstone/src/template/template.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_8: 1.1.1.2

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/unswitch/unsw\_01.c,v

working file: c\_tests/nullstone/src/unswitch/unsw\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/unswitch/unsw\_02.c,v

working file: c\_tests/nullstone/src/unswitch/unsw\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:06; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/README,v
Working file: c_tests/nullstone/src/volatile/README
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_01.c,v
Working file: c_tests/nullstone/src/volatile/vol_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_02.c,v
Working file: c_tests/nullstone/src/volatile/vol_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
```

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_03.c,v

working file: c\_tests/nullstone/src/volatile/vol\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_04.c,v

working file: c\_tests/nullstone/src/volatile/vol\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_05.c,v

working file: c\_tests/nullstone/src/volatile/vol\_05.c

head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_06.c,v

working file: c\_tests/nullstone/src/volatile/vol\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_07.c,v

working file: c\_tests/nullstone/src/volatile/vol\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_08.c,v  
Working file: c\_tests/nullstone/src/volatile/vol\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_09.c,v  
Working file: c\_tests/nullstone/src/volatile/vol\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_11.c,v  
Working file: c\_tests/nullstone/src/volatile/vol\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_12.c,v  
working file: c\_tests/nullstone/src/volatile/vol\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_13.c,v  
working file: c\_tests/nullstone/src/volatile/vol\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_8: 1.1.1.1  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====



bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_14.c,v  
working file: c\_tests/nullstone/src/volatile/vol\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_15.c,v  
working file: c\_tests/nullstone/src/volatile/vol\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_16.c,v  
working file: c\_tests/nullstone/src/volatile/vol\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
---

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_17.c,v  
working file: c\_tests/nullstone/src/volatile/vol\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_18.c,v  
working file: c\_tests/nullstone/src/volatile/vol\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_8: 1.1.1.1  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_19.c,v  
working file: c\_tests/nullstone/src/volatile/vol\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_20.c,v

working file: c\_tests/nullstone/src/volatile/vol\_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_21.c,v

working file: c\_tests/nullstone/src/volatile/vol\_21.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_22.c,v
working file: c_tests/nullstone/src/volatile/vol_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====

```

```

revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====

```

```

revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_23.c,v
working file: c_tests/nullstone/src/volatile/vol_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====

```

```

revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====

```

```

revision 1.1.1.1
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

=====
RCS file: /p/cvsroot/c_tests/nullstone/src/volatile/vol_24.c,v
working file: c_tests/nullstone/src/volatile/vol_24.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_8: 1.1.1.1
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
=====

```

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone/src/volatile/vol\_25.c,v

Working file: c\_tests/nullstone/src/volatile/vol\_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_8: 1.1.1.1

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/analysis.c,v

Working file: c\_tests/nullstone\_3\_8\_4/analysis.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:12; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/boolean.h,v

Working file: c\_tests/nullstone\_3\_8\_4/boolean.h

head: 1.1

branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/chart.c,v  
working file: c\_tests/nullstone\_3\_8\_4/chart.c  
head: 1.1

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/commands,v  
working file: c\_tests/nullstone\_3\_8\_4/commands  
head: 1.2

branch:  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 3  
description:

-----  
revision 1.2  
date: 1995/02/24 22:26:04; author: claseman; state: Exp; lines: +14 -14  
change from stb to osf

-----  
revision 1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config.bat,v  
working file: c\_tests/nullstone\_3\_8\_4/config.bat  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config.mpw,v  
working file: c\_tests/nullstone\_3\_8\_4/config.mpw  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config.sh,v  
working file: c\_tests/nullstone\_3\_8\_4/config.sh  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 4; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/driver.c,v  
working file: c\_tests/nullstone\_3\_8\_4/driver.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/error.c,v  
working file: c\_tests/nullstone\_3\_8\_4/error.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/error.log,v  
working file: c\_tests/nullstone\_3\_8\_4/error.log  
head: 1.1  
branch: 1.1.1  
locks: strict



bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/gui.c,v

working file: c\_tests/nullstone\_3\_8\_4/gui.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/kerneIs.h,v

working file: c\_tests/nullstone\_3\_8\_4/kerneIs.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/libnull.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/libnull.c  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/main.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/main.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/notice.txt,v  
Working file: c\_tests/nullstone\_3\_8\_4/notice.txt  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp;  
branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/page.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/page.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/page.h,v  
Working file: c\_tests/nullstone\_3\_8\_4/page.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/parse.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/parse.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/parse.h,v  
working file: c\_tests/nullstone\_3\_8\_4/parse.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/reprtgen.c,v  
working file: c\_tests/nullstone\_3\_8\_4/reprtgen.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/Attic/stderr.dat,v  
working file: c\_tests/nullstone\_3\_8\_4/stderr.dat  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/Attic/stdout.dat,v  
working file: c\_tests/nullstone\_3\_8\_4/stdout.dat  
head: 1.1

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/Attic/stone.dat,v  
working file: c\_tests/nullstone\_3\_8\_4/stone.dat  
head: 1.1

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/testlist,v
Working file: c_tests/nullstone_3_8_4/testlist
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/tick.c,v
Working file: c_tests/nullstone_3_8_4/tick.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:14; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/tick.h,v
Working file: c_tests/nullstone_3_8_4/tick.h
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:13; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/tokens.h,v  
working file: c\_tests/nullstone\_3\_8\_4/tokens.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/values.h,v  
working file: c\_tests/nullstone\_3\_8\_4/values.h  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 3; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/version.h,v  
working file: c\_tests/nullstone\_3\_8\_4/version.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/alpha/commands,v  
working file: c\_tests/nullstone\_3\_8\_4/config/alpha/commands  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/alpha/config.h,v  
working file: c\_tests/nullstone\_3\_8\_4/config/alpha/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/alpha/makefile,v  
working file: c\_tests/nullstone\_3\_8\_4/config/alpha/makefile  
head: 1.1



bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/mac040/analysis.mak,v  
working file: c\_tests/nullstone\_3\_8\_4/config/mac040/analysis.mak  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/mac040/config.h,v  
working file: c\_tests/nullstone\_3\_8\_4/config/mac040/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/mac040/driver.mak,v
Working file: c_tests/nullstone_3_8_4/config/mac040/driver.mak
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/mac040/driver.mpw,v
Working file: c_tests/nullstone_3_8_4/config/mac040/driver.mpw
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:19; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/config/mac040/readme,v
Working file: c_tests/nullstone_3_8_4/config/mac040/readme
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/pentium/commands,v  
working file: c\_tests/nullstone\_3\_8\_4/config/pentium/commands  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/pentium/config.h,v  
working file: c\_tests/nullstone\_3\_8\_4/config/pentium/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/pentium/makefile,v  
working file: c\_tests/nullstone\_3\_8\_4/config/pentium/makefile  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/rs6000/commands,v

working file: c\_tests/nullstone\_3\_8\_4/config/rs6000/commands

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/rs6000/config.h,v

working file: c\_tests/nullstone\_3\_8\_4/config/rs6000/config.h

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/rs6000/makefile,v

working file: c\_tests/nullstone\_3\_8\_4/config/rs6000/makefile

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/sparc/commands,v  
Working file: c\_tests/nullstone\_3\_8\_4/config/sparc/commands  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/sparc/config.h,v  
Working file: c\_tests/nullstone\_3\_8\_4/config/sparc/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/sparc/makefile,v  
working file: c\_tests/nullstone\_3\_8\_4/config/sparc/makefile  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/template/commands,v  
working file: c\_tests/nullstone\_3\_8\_4/config/template/commands  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/template/config.h,v  
working file: c\_tests/nullstone\_3\_8\_4/config/template/config.h  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/template/makefile,v  
Working file: c\_tests/nullstone\_3\_8\_4/config/template/makefile  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/terp/commands,v  
Working file: c\_tests/nullstone\_3\_8\_4/config/terp/commands  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/terp/config.h,v  
Working file: c\_tests/nullstone\_3\_8\_4/config/terp/config.h  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/config/terp/makefile,v

working file: c\_tests/nullstone\_3\_8\_4/config/terp/makefile

head: 1.2

branch:

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/address/addr\_01.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/address/addr\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/address/addr\_02.c,v



bz Feb 21-27 1995.log

Working file: c\_tests/nullstone\_3\_8\_4/src/address/addr\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_01.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_02.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_03.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_04.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_05.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_06.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_07.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_08.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_09.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_10.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_11.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_12.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_12.c

head: 1.2

branch:

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:25; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_20.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:23; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_21.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_22.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/alias/alias\_23.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/alias/alias\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

```
-----
revision 1.1
date: 1995/02/24 00:33:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/bitfield/bit_01.c,v
working file: c_tests/nullstone_3_8_4/src/bitfield/bit_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/bitfield/bit_02.c,v
working file: c_tests/nullstone_3_8_4/src/bitfield/bit_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:33:08; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/bitfield/bit_03.c,v
working file: c_tests/nullstone_3_8_4/src/bitfield/bit_03.c
head: 1.1
branch: 1.1.1
locks: strict
```

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_01.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_02.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====



bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_03.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_04.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_05.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_06.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_07.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_08.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_09.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_10.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:14; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_11.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_11.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_12.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/branch/br\_13.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/branch/br\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_14.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_15.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/branch/br_16.c,v
working file: c_tests/nullstone_3_8_4/src/branch/br_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:15; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_02.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_03.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_04.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_05.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:13; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_06.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_06.c

head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_07.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_08.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:14; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp; lines: +0 -0



nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_09.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_10.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:15; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_11.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_12.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_13.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:15; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_14.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_15.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_16.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_17.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_17.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_18.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_19.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1

bz Feb 21-27 1995.log

date: 1995/02/24 00:32:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_20.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_21.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_22.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_23.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_24.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_25.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_31.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_31.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_32.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_33.c,v

bz Feb 21-27 1995.log  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_33.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_34.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_34.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_35.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_35.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----



bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_36.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_37.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_37.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_38.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_38.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_39.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_39.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_40.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_40.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_41.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_41.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_42.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_43.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_44.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----  
revision 1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_45.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----  
revision 1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_46.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_46.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----  
revision 1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_47.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_47.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:20; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_48.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_48.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_49.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_49.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_50.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_51.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_51.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_52.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_52.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_53.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_53.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_54.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_55.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_55.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_61.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_61.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_62.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_62.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp;  
branches: 1.1.1;



bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_63.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_63.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_64.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_64.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_65.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_65.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

date: 1995/02/24 00:32:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_66.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_66.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

    NS\_3\_8\_4: 1.1.1.1

    TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2;      selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_67.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_67.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

    NS\_3\_8\_4: 1.1.1.1

    TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2;      selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_68.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_68.c

head: 1.1

branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_69.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_69.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:24; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_70.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_70.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_71.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_71.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_72.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_72.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_73.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_73.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:25; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_74.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_74.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:25; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_75.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_75.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_76.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_76.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_77.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_78.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_78.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_79.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_79.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_80.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_80.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_81.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_81.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_82.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_82.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_83.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_83.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:27; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/combine/comb_84.c,v
working file: c_tests/nullstone_3_8_4/src/combine/comb_84.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```



bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/combine/comb\_85.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/combine/comb\_85.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_02.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_03.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_04.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:26; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_05.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_05.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_06.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_07.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:26; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:27; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_08.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_09.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_10.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_11.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_12.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:27; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_13.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_14.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_15.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_16.c,v

bz Feb 21-27 1995.log

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:27; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_17.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_18.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_18.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_19.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_20.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_21.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:



bz Feb 21-27 1995.log

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_22.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_22.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_23.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_23.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_24.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_24.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:28; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_25.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_26.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_26.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_27.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_28.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_31.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_31.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_32.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_32.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_33.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_33.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_34.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_34.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_35.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_35.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_36.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_36.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_37.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_37.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_38.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_39.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_39.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_40.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_40.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_41.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_41.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_42.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_42.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_43.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_43.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_44.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_45.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv



bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_46.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_46.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

    NS\_3\_8\_4: 1.1.1.1

    TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2;      selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_47.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_47.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

    NS\_3\_8\_4: 1.1.1.1

    TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2;      selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_48.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_48.c

head: 1.1

branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_49.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:31; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_50.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_51.c,v
Working file: c_tests/nullstone_3_8_4/src/consfold/fold_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_52.c,v
Working file: c_tests/nullstone_3_8_4/src/consfold/fold_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consfold/fold_53.c,v
Working file: c_tests/nullstone_3_8_4/src/consfold/fold_53.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:32; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_54.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_54.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_55.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_55.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_56.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_56.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_57.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_57.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_58.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consfold/fold\_58.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_01.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_02.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_03.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_04.c,v
Working file: c_tests/nullstone_3_8_4/src/consprop/prop_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_05.c,v
Working file: c_tests/nullstone_3_8_4/src/consprop/prop_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:33; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_06.c,v
Working file: c_tests/nullstone_3_8_4/src/consprop/prop_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_07.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_08.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_09.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1



bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_10.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_10.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_11.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_12.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_12.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_13.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/consprop/prop_14.c,v
working file: c_tests/nullstone_3_8_4/src/consprop/prop_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:35; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_15.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/consprop/prop\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_02.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_03.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_04.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_05.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_06.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_07.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_08.c,v

bz Feb 21-27 1995.log  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_09.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_09.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_10.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_10.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_11.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_12.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_13.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_14.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:37; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/cse/cse\_15.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/cse/cse\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:



bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_02.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names: (

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_03.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_04.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----  
revision 1.1  
date: 1995/02/24 00:33:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_05.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----  
revision 1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_06.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:  
-----  
revision 1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_07.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_08.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_09.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_10.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_11.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_12.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_13.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_14.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_15.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_16.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:10; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_17.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp;

branches: 1.1.1;

-

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_18.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_18.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_19.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_20.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_21.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_21.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_22.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_22.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:12; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_23.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_23.c

head: 1.1

branch: 1.1.1



bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:12; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/dead/dead\_24.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/dead/dead\_24.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:12; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:13; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_01.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_02.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_03.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_04.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_05.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_06.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_07.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_08.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_09.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_10.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_10.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_11.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_12.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_13.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_13.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:33:48; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_14.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_14.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:33:49; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_15.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1

```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_16.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_17.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_18.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_19.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_20.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_21.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_21.c



bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_22.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_23.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:50; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_24.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_25.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_26.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_26.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_27.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_27.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_28.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_28.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_29.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_29.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_30.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_30.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_31.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_31.c

head: 1.2

branch:

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_32.c,v

bz Feb 21-27 1995.log

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_33.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_34.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_34.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_35.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_35.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_36.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_37.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_37.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_38.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_38.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_39.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_39.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_40.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_40.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_41.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_41.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_42.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====



```

bz Feb 21-27 1995.log
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_43.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_43.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_44.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_45.c,v
Working file: c_tests/nullstone_3_8_4/src/divide/div_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_46.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_46.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_47.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_47.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_48.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_48.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_49.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_50.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_51.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_51.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_52.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_52.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_53.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_53.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_54.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_55.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_55.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_56.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_56.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_57.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_57.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_58.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_58.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_59.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_59.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_60.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_60.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_61.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_61.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_62.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_62.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_63.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_63.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_64.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_64.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4



```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_65.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_65.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_66.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_66.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_67.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_67.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:33:56; author: claseman; state: Exp;
=====
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_68.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_68.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_69.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_69.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_70.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_70.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_71.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_71.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_72.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_72.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_73.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_73.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_74.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_75.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_76.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_76.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_77.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_77.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:33:57; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:33:58; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/divide/div_78.c,v
working file: c_tests/nullstone_3_8_4/src/divide/div_78.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1

```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_79.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_79.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_80.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_80.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_81.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_81.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_82.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_82.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_83.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_83.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_84.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_84.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_85.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_85.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_86.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_86.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1



bz Feb 21-27 1995.log  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_87.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_87.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_88.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_88.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_89.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_89.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_90.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_90.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_91.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_91.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/div\_92.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/divide/div\_92.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:34:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/ndiv\_01.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/ndiv\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/ndiv\_02.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/divide/ndiv\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/ndiv\_03.c,v

bz Feb 21-27 1995.log  
working file: c\_tests/nullstone\_3\_8\_4/src/divide/ndiv\_03.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/divide/ndiv\_04.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/divide/ndiv\_04.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_01.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_01.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_02.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_03.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_04.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:31:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_05.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_06.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_07.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_08.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_09.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_10.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_100.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_100.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_101.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_101.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision



bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_102.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_102.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_103.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_103.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_104.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_104.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_105.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_105.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_106.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_106.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_107.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_107.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_108.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_108.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_11.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_13.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_14.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_15.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:31; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_16.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_17.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:31; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_18.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_19.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_20.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_30.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_30.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_31.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_31.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_32.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_33.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_34.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_34.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_35.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_35.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:32; author: claseman; state: Exp;
```



bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_36.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_37.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_37.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_38.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_38.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_39.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_39.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_40.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_40.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_41.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_41.c

head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_42.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:33; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_43.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_43.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:34; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_44.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_44.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_45.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_45.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:31:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_46.c,v
Working file: c_tests/nullstone_3_8_4/src/expr/expr_46.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1

```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_47.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_47.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_48.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_48.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_49.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_49.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_50.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_50.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_51.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_51.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_52.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_52.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_53.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_53.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_54.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_54.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log

date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_55.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_55.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:31:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_56.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_56.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_57.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_57.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---



bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_58.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_58.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_59.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_59.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_60.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_60.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_61.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_61.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_62.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_62.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:36; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_63.c,v

bz Feb 21-27 1995.log

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_63.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_64.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_64.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_65.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_65.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1

date: 1995/02/24 00:31:38; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_66.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_66.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:31:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_67.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_67.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:31:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_68.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_68.c

head: 1.2

branch:

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:31:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_69.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_69.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_70.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_70.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_71.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_71.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_72.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_72.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_73.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_73.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_74.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_74.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_75.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_75.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_76.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_76.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_77.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_78.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_78.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_79.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_79.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2



bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_80.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_80.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_81.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_81.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_82.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_82.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_83.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_83.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_84.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_84.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_85.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_85.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_86.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_86.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_87.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_87.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:41; author: claseman; state: Exp;

branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_88.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_88.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_89.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_89.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_90.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_90.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_91.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_91.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_92.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_92.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_93.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_93.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_94.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_94.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_95.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_95.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_96.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_96.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_97.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_97.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:31:42; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/expr/expr_98.c,v
working file: c_tests/nullstone_3_8_4/src/expr/expr_98.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:31:43; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/expr/expr\_99.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/expr/expr\_99.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/fstore/fstore\_1.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/fstore/fstore\_1.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/fstore/fstore\_2.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/fstore/fstore\_2.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1



bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/fstore/fstore\_3.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/fstore/fstore\_3.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_01.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_02.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_02.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_03.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_04.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_05.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_05.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_06.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:31:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/hoist/hoist_07.c,v
Working file: c_tests/nullstone_3_8_4/src/hoist/hoist_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1

```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_08.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_09.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_10.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_11.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_12.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_13.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_13.c

bz Feb 21-27 1995.log

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_14.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_15.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log

date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_16.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_17.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

revision 1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

---

revision 1.1.1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_18.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_18.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_19.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_20.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_21.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:



bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_22.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_22.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_23.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_23.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_24.c,v

bz Feb 21-27 1995.log

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_24.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_25.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_26.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_26.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_27.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_27.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_28.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_28.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_29.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_29.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:31:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_30.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_30.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_31.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_31.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_32.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_32.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_33.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_34.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_34.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_35.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_35.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_36.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_36.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_37.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/hoist/hoist\_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:28; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_02.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_03.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_04.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_05.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:29; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_06.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict



bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:29; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_07.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_08.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_09.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_09.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_10.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_10.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_11.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_11.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:30; author: claseman; state: Exp;  
branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_12.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:32:30; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_13.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_14.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

```

                                bz Feb 21-27 1995.log
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_15.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_15.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_16.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_16.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:31; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_17.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_17.c
head: 1.1
branch: 1.1.1

```

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_18.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_18.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:31; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_19.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:32; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_20.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_21.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_22.c,v
working file: c_tests/nullstone_3_8_4/src/if/if_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:32; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_23.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:32; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_24.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_25.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_26.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_26.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_27.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_27.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_28.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_28.c  
head: 1.1



bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_29.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_29.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:33; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_30.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_30.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_31.c,v
Working file: c_tests/nullstone_3_8_4/src/if/if_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_32.c,v
Working file: c_tests/nullstone_3_8_4/src/if/if_32.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
date: 1995/02/24 00:32:34; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
```

```
-----
revision 1.1.1.1
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_33.c,v
Working file: c_tests/nullstone_3_8_4/src/if/if_33.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
```

```
-----
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_34.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_34.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_35.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_35.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:34; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_36.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_37.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_37.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_38.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:35; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_39.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_39.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_40.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_40.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_41.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_41.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:35; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:36; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_42.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_42.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_43.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_43.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_44.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_45.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_46.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_46.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:36; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:37; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_47.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_47.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_48.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_48.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_49.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:37; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_50.c,v



```

bz Feb 21-27 1995.log
Working file: c_tests/nullstone_3_8_4/src/if/if_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_51.c,v
Working file: c_tests/nullstone_3_8_4/src/if/if_51.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:37; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/if/if_52.c,v
Working file: c_tests/nullstone_3_8_4/src/if/if_52.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:38; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----

```

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_53.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_53.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_54.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_54.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_55.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_55.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_56.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_56.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:38; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_57.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_57.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_58.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_58.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_59.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_59.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_60.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_60.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_61.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_61.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_62.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_62.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_63.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_63.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_64.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_64.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_65.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_65.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_66.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_66.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:32:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_67.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_67.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_68.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_68.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/if/if\_69.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/if/if\_69.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/inline/inline\_1.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/inline/inline\_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/inline/inline\_2.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/inline/inline\_2.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:38; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====



bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/inline/inline\_3.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/inline/inline\_3.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:39; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/ive/ive\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/ive/ive\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/collapse/clpse\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/loop/collapse/clpse\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp;  
branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/collapse/clpse\_02.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/collapse/clpse\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/collapse/clpse\_03.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/collapse/clpse\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/collapse/clpse\_04.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/collapse/clpse\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/fusion/fusion\_1.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/fusion/fusion\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/fusion/fusion\_2.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/fusion/fusion\_2.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_08.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_08.c  
head: 1.2  
branch:

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 3; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_09.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_09.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_1.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_1.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_10.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_11.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_12.c,v
Working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:45; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_13.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_14.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_15.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_16.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_17.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_3.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_3.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_4.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_4.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_5.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/loop/loop/loop\_5.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0



nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_6.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_6.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/loop/loop_7.c,v
working file: c_tests/nullstone_3_8_4/src/loop/loop/loop_7.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:33:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:33:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/unroll/unroll_1.c,v
working file: c_tests/nullstone_3_8_4/src/loop/unroll/unroll_1.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1

```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/unroll/unroll\_2.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/loop/unroll/unroll\_2.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/unroll/unroll\_3.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/loop/unroll/unroll\_3.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/unroll/unroll\_4.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/loop/unroll/unroll\_4.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/unroll/unroll\_5.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/loop/unroll/unroll\_5.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:44; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:45; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_01.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:39; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_02.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_02.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_03.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_03.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:39; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/loop/wrap/for_04.c,v
working file: c_tests/nullstone_3_8_4/src/loop/wrap/for_04.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:33:40; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_05.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_06.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_11.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_12.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_13.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_14.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_15.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:40; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_16.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/loop/wrap/for\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:41; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:42; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/merge/merge\_1.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/merge/merge\_1.c  
bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/merge/merge\_2.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/merge/merge\_2.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/merge/merge\_3.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/merge/merge\_3.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision



bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/merge/merge\_4.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/merge/merge\_4.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:10; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/merge/merge\_5.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/merge/merge\_5.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:10; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:11; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_01.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_02.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_03.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:31:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_04.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_04.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_05.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_06.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_07.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_08.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_09.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_10.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_11.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:51; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_12.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_13.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_14.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_15.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_15.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_16.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_17.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_18.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_18.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_19.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_19.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_20.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:52; author: claseman; state: Exp;  
branches: 1.1.1;



bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_21.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_21.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_22.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_22.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_23.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_23.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_24.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_24.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_25.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_25.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_26.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_26.c

head: 1.1

branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:53; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_27.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_28.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_29.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_29.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_30.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_30.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_31.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_31.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:54; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_32.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_32.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:54; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_33.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_33.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:55; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_34.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_34.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_35.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_35.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_36.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_37.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_37.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_38.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_38.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_39.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_39.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_40.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_40.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_41.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_41.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:31:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_42.c,v
Working file: c_tests/nullstone_3_8_4/src/mod/mod_42.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```



bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_43.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_43.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_44.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_45.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_46.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_46.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_47.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_47.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:31:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_48.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_48.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_49.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_49.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_50.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_50.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:31:58; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_51.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_51.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_52.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_52.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_53.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_53.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_54.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_54.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_55.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_55.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:31:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_56.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_56.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:31:59; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_57.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_57.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_58.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_58.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:00; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_59.c,v

bz Feb 21-27 1995.log  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_59.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_60.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_60.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_61.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_61.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_62.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_62.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_63.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_63.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_64.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_64.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:



bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_65.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_65.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_66.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_66.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_67.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_67.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_68.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_68.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_69.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_69.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:02; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log  
RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_70.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_70.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_71.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_71.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_72.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_72.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_73.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_73.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_74.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_74.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_75.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_75.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_76.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_76.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_77.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_78.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_78.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_79.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_79.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_80.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_80.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:04; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_81.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_81.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_82.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_82.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_83.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_83.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_84.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_84.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_85.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_85.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_86.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_86.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv



bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_87.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_87.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_88.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_88.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_89.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_89.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_90.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_90.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:05; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/mod/mod\_91.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/mod/mod\_91.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:06; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/mod/mod_92.c,v
working file: c_tests/nullstone_3_8_4/src/mod/mod_92.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:32:06; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_01.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_01.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_02.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_02.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:32:42; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_03.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_03.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:42; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_04.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_04.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_05.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_05.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_06.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_06.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_07.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:43; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_08.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_08.c

head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:43; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:44; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_09.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:44; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_1.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_10.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_10.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_11.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_11.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:44; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:45; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_12.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_12.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
---
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_13.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_14.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:45; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_15.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1



bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_16.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_16.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_17.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_17.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:46; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_18.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_18.c

bz Feb 21-27 1995.log

```
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_19.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_20.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_20.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:46; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_21.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:46; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_22.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_23.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_23.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_24.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_24.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_25.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_25.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:47; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_26.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_26.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_27.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_27.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:47; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_28.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_28.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:48; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_29.c,v

bz Feb 21-27 1995.log  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_29.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_30.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_30.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_31.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_31.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_32.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_32.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_33.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_33.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:48; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:49; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_34.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_34.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_35.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_35.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_36.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_36.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:49; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_37.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_37.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:



bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_38.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_38.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_39.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_39.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:49; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_40.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_40.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_41.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_41.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_42.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_42.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_43.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_43.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_44.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_44.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:50; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_45.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_45.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:32:50; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_46.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_46.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_47.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_47.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_48.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_48.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_49.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_49.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_50.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_50.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:51; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_51.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_51.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_52.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_52.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_53.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_53.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:52; author: claseman; state: Exp;  
branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_54.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_54.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_55.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_55.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:32:52; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_56.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_56.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

```

bz Feb 21-27 1995.log
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:52; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_57.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_57.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_58.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_58.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
revision 1.1
date: 1995/02/24 00:32:53; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
revision 1.1.1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_59.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_59.c
head: 1.1
branch: 1.1.1

```



bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_60.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_60.c  
head: 1.1

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_61.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_61.c  
head: 1.1

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:53; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_62.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_62.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_63.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_63.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_64.c,v
working file: c_tests/nullstone_3_8_4/src/multiply/mul_64.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:54; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_65.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_65.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_66.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_66.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:54; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_67.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_67.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_68.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_68.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_69.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_69.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_70.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_70.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_71.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_71.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_72.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_72.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:55; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_73.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_73.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_74.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_74.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:32:56; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/multiply/mul_75.c,v
Working file: c_tests/nullstone_3_8_4/src/multiply/mul_75.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_76.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_76.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_77.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_77.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:56; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_78.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_78.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_79.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_79.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:56; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:57; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_80.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_80.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:57; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_81.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_81.c



bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_82.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_82.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_83.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_83.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1

bz Feb 21-27 1995.log  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_84.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_84.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_85.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_85.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_86.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_86.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_87.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_87.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:57; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_88.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_88.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:58; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_89.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_89.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_90.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_90.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_91.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_91.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_92.c,v

bz Feb 21-27 1995.log  
Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_92.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_93.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_93.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_94.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_94.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:58; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_95.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_95.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_96.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_96.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_97.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_97.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_98.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/multiply/mul\_98.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:59; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/narrow/shift\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/narrow/shift\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:06; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:07; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/narrow/shift\_02.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/narrow/shift\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/narrow/shift\_03.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/narrow/shift\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_01.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====



bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_02.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_03.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_04.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:16; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_05.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_05.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_06.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_06.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_07.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_07.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/02/24 00:33:16; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:17; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_08.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_08.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_09.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:17; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_10.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_11.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_11.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_12.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_12.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:17; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:18; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_13.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_14.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_14.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_15.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/pointer/ptr\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp;  
branches: 1.1.1;  
-----

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/printf/printf\_1.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/printf/printf\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:18; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/printf/printf\_2.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/printf/printf\_2.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/printf/printf\_3.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/printf/printf\_3.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv

bz Feb 21-27 1995.log  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_02.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_03.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_03.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_04.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_04.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_05.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_05.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:00; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4



```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_06.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_06.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_07.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_07.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:00; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
-----
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_08.c,v
working file: c_tests/nullstone_3_8_4/src/range/range_08.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
-----
```

```
revision 1.1
date: 1995/02/24 00:33:01; author: claseman; state: Exp;
```

bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_09.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_10.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_10.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_11.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

bz Feb 21-27 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_12.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_13.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_13.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1  
TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_14.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_14.c  
head: 1.1

bz Feb 21-27 1995.log

branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_15.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_15.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:01; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_16.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```

=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_17.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_17.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_18.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_18.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1
date: 1995/02/24 00:33:02; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision

```

```

-----
revision 1.1.1.1
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====

```

```

RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/range/range_19.c,v
Working file: c_tests/nullstone_3_8_4/src/range/range_19.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:

```

```

-----
revision 1.1

```

bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_20.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_20.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_21.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_21.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:02; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_22.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_22.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1

bz Feb 21-27 1995.log

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_23.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_23.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_24.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_24.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:03; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_25.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_25.c

bz Feb 21-27 1995.log

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_26.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_26.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_27.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_27.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:03; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
---



bz Feb 21-27 1995.log  
date: 1995/02/24 00:33:04; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_28.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_28.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_29.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_29.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/range/range\_30.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/range/range\_30.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

bz Feb 21-27 1995.log

revision 1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/recur/recur\_01.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/recur/recur\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:12; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:13; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/recur/recur\_02.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/recur/recur\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:32:11; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/recur/recur\_03.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/recur/recur\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

bz Feb 21-27 1995.log

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/recur/recur\_04.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/recur/recur\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:11; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:12; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/register/reg\_01.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/register/reg\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:05; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/register/reg\_02.c,v

bz Feb 21-27 1995.log

Working file: c\_tests/nullstone\_3\_8\_4/src/register/reg\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:05; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/register/reg\_03.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/register/reg\_03.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:05; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/register/reg\_04.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/register/reg\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:05; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

bz Feb 21-27 1995.log

revision 1.1.1.1  
date: 1995/02/24 00:33:06; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/spec/spec\_01.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/spec/spec\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/spec/spec\_02.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/spec/spec\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

---

revision 1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

---

revision 1.1.1.1  
date: 1995/02/24 00:33:24; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4

---

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/static/static\_1.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/static/static\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

bz Feb 21-27 1995.log

-----  
revision 1.1  
date: 1995/02/24 00:33:04; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:05; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/string/string\_1.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/string/string\_1.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:07; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/string/string\_2.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/string/string\_2.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:32:08; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/string/string\_3.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/string/string\_3.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:

bz Feb 21-27 1995.log

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/string/string\_4.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/string/string\_4.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:09; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/template/template.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/template/template.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/unswitch/unsw\_01.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/unswitch/unsw\_01.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:08; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/unswitch/unsw\_02.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/unswitch/unsw\_02.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:32:06; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:32:07; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/README,v

Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/README

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision



bz Feb 21-27 1995.log

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_01.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_01.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_02.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_02.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:  
-----

revision 1.1  
date: 1995/02/24 00:33:19; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_03.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_03.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1  
keyword substitution: kv  
total revisions: 2; selected revisions: 2

bz Feb 21-27 1995.log

description:

-----  
revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_04.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_04.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_05.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_05.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:19; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_06.c,v

Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_06.c

head: 1.1

branch: 1.1.1

locks: strict

bz Feb 21-27 1995.log

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_07.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_07.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_08.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_08.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

bz Feb 21-27 1995.log

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_09.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_09.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_11.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_11.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:21; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_12.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_12.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:20; author: claseman; state: Exp;  
branches: 1.1.1;

bz Feb 21-27 1995.log

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_13.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_13.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_14.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_14.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:  
-----

revision 1.1

date: 1995/02/24 00:33:20; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision  
-----

revision 1.1.1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_15.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_15.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

bz Feb 21-27 1995.log

total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:20;    author: claseman;    state: Exp;  
branches:    1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:21;    author: claseman;    state: Exp;    lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_16.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_16.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:20;    author: claseman;    state: Exp;  
branches:    1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:21;    author: claseman;    state: Exp;    lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_17.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_17.c  
head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:

    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2;      selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:21;    author: claseman;    state: Exp;  
branches:    1.1.1;  
Initial revision  
-----

revision 1.1.1.1  
date: 1995/02/24 00:33:22;    author: claseman;    state: Exp;    lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_18.c,v  
working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_18.c  
head: 1.1  
branch: 1.1.1

bz Feb 21-27 1995.log

locks: strict  
access list:  
symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_19.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_19.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_20.c,v

working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_20.c

head: 1.1

branch: 1.1.1

locks: strict

access list:

symbolic names:

NS\_3\_8\_4: 1.1.1.1

TEAM1: 1.1.1

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

-----  
revision 1.1

date: 1995/02/24 00:33:21; author: claseman; state: Exp;

branches: 1.1.1;

Initial revision

-----  
revision 1.1.1.1

date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0

nullstone version 3.8.4

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_21.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_21.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_22.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_22.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:33:21; author: claseman; state: Exp;
branches: 1.1.1;
Initial revision
=====
```

```
revision 1.1.1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp; lines: +0 -0
nullstone version 3.8.4
=====
```

```
=====
RCS file: /p/cvsroot/c_tests/nullstone_3_8_4/src/volatile/vol_23.c,v
working file: c_tests/nullstone_3_8_4/src/volatile/vol_23.c
head: 1.1
branch: 1.1.1
locks: strict
access list:
symbolic names:
    NS_3_8_4: 1.1.1.1
    TEAM1: 1.1.1
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
=====
```

```
revision 1.1
date: 1995/02/24 00:33:22; author: claseman; state: Exp;
```



bz Feb 21-27 1995.log

branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_24.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_24.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====

RCS file: /p/cvsroot/c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_25.c,v  
Working file: c\_tests/nullstone\_3\_8\_4/src/volatile/vol\_25.c

head: 1.1  
branch: 1.1.1  
locks: strict  
access list:  
symbolic names:  
    NS\_3\_8\_4: 1.1.1.1  
    TEAM1: 1.1.1

keyword substitution: kv  
total revisions: 2; selected revisions: 2  
description:

-----  
revision 1.1  
date: 1995/02/24 00:33:22; author: claseman; state: Exp;  
branches: 1.1.1;  
Initial revision

-----  
revision 1.1.1.1  
date: 1995/02/24 00:33:23; author: claseman; state: Exp; lines: +0 -0  
nullstone version 3.8.4  
=====